

A large, bold, red letter 'S' is positioned to the left of two vertical grey bars, which together form the Roman numeral 'II'. This graphic serves as a visual identifier for the product model.

Overview

The Secabo S120 II vinyl cutter was developed for users who want to realize high volumes and large orders in professional quality. With its servomotor, all common materials can be processed up to a maximum cutting width of 126 and a media width of up to 135 centimeters. The newly designed menu navigation is based on Secabo's many years of experience and guides you comfortably through all work steps. The new, independent design of the Secabo S120 II cutting plotter integrates perfectly into any work environment. Precise results are provided by the integrated LAPOS contour cutting function and the supplied DrawCut LITE cutting software for Windows PC. Additional comfort is provided by the supplied stand with roll holder.

Features



Easy menu navigation

comfortable control panel with illuminated LCD-display and large buttons



Low noise

low noise level which makes working in an office environment possible



Mac compatible

This product is also available as a mac compatible version with the SignCut software (without LAPOS).



64bit enabled

The device can be controlled by 64bit operating systems.



Plug and play

simple installation, no additional drivers necessary



servo drives

silent, precise and powerful servo drives for best cutting results



high precision

High precision for cutting of smallest fonts and objects.



Improved LAPOS

The improved LAPOS facilitates faster reading of crop marks for a productive contour cut.



DrawCut LITE

DrawCut LITE supplied - with controls for LAPOS2 and many functions for professional graphic design

Technical Data

dimensions	160cm x 26cm x 26cm
scope of delivery	Vinyl Cutter, multilingual cutting software DrawCut LITE (Windows), drag knife, ball-bearing knife holder, plot pen, DIN A3 plot surface, connection cable, stand with roll mount, user manual in English
control	back-illuminated graphic LCD display with gel buttons
countour cutting function	LAPOS, 4 contour marks
max. downforce	750 g
max. media width	1350 mm
max. media thickness	1 mm
max. cutting size	1260 mm
max. cutting speed	960 mm/s
mech. resolution	0,01254 mm
interfaces	USB
motor	servomotor
weight without packaging	35,00 kg
weight with package	42,00 kg
Brand	Secabo

Views

