
DP-4500 Industrial Line

Fully automatic punching and binding machine

The "top of the range" of Rilecart machines. Thanks to its design and its wire insertion system, the machine combines flexibility, versatility and reliability. Can punch and bind "in line" with double loop wire books, pads, exercise books, diaries and many other items.





Fully automatic punching and binding machine



Double punching area in the DP-4500.

Wire feeding system.



The DP-4500 dividing the book.



"Twin spool" unwinder.

HOW IT WORKS

The line is composed by the automatic double-side punching machine DP-400 in line with the automatic binding machine B-599 HF. The punching unit, using of a set of blades, divides the item in booklets of 5 mm. first, then in 2,5 mm. and punch them separately thanks to a double (superior and inferior) punching tool. The machine then gathers the booklets and brings the book to the closing unit where is automatically bound. The two machines can work together or, when required, off line.


FEATURES

- Uses wires on spools.
- For all 3:1" and 2:1" pitch from 1/4" to 1".
- Binding size: Max = 400 x 300 mm., Min = 100 x 100 mm.
- Dividing thickness: Max: 5 mm., Min: 3 mm.
- Punching thickness: Max: 5 mm. per stroke.
- Dedicated tools for each diameter.
- Max productivity: from 500 to 3000 pieces/hour according to the thickness of the product:

3-5 mm. (1 booklet) = 3000 pcs/h5-10 mm. (2 booklets) = 1500 pcs/h10-15 mm. (3 booklets) = 1000 pcs/h(4 booklets) = 750 pcs/h15-20 mm. (5 booklets) = 600 pcs/h20-25 mm.

Effective speed depends on the technical features of the item and on production organization. The speeds shown are related to paper of weight not less of 80 gr./sqm.





TECHNICAL SPECIFICATIONS

400 V 3-phase 50/60 Hz + Neutral; 12Kw

8 Atm - 10 mc/hour

△ 3500 Kg

OPTIONALS

- Size tool sets: 1/4" to 1".
- Additional punching tool.

#"	Ø inch	₩ mm	a le b	i de la companya de l	
PITCH	DIAMETER	BIND THICK	axb mm	Ø mm	c mm
3:1"	1/4" 5/16" 3/8" 7/16"	4,5 6,5 8,5 10	4x3,7	4	3
	1/2" 9/16"	11,5 12,5	4×5	5	4
	9/16" 5/8"	12,5 14	5x4,7	6	4
2:1"	3/4" 7/8"	17 20	6x6	7	5
	1"	23	6x6	7	





RILECART - WIREBIND INTERNATIONAL Headquarters and Factory: Via Daniele Pesenti, n°1 24022 Alzano Lombardo - Bergamo Tel. +39 035 515.900 - Fax +39 035 515.060 E-mail: info@rilecart.com - Internet: www.rilecart.com

