

# MINIMA EVO



## **DESCRIPTION**

MINIMA has always been the smallest model in the range of packaging machines that minipack®-torre offers on the market. Designed for small/medium-sized production companies, its versatility and minimum footprint represent its strength. The absolute reliability and high yield, combined with low energy consumption and easy use, are the characteristics that make MINIMA one-of-a-kind in its

#### minipack®-torre S.p.A.



category.

### **TECHNICAL FEATURES**

Electrical power supply	V	200/230
Phase	ph	1
Maximum power installed	kW	1.2
Hourly output	pcs/h	0-300
Available dimensions of the sealing bars	mm	380x250
MAX product size	mm	350x240x140
MAX Reel Dimensions (diameter)	mm	200
MAX Reel Strip Dimensions (width)	mm	350
Machine dimensions with the lid open	mm	930x550x580
Machine dimensions with the lid closed	mm	930x550x370
Weight (Net/Gross)	Kg	36/48

minipack®-torre shall not be held liable for typos or printing errors in this catalogue. It also reserves the right to make changes to the specified features without prior notice. All trademarks are property of their respective owners and are hereby acknowledged.

# **TECHNICAL FEATURES**

- Electronic board with optimal sealing and shrinking control, with 10 preset programs that can be selected on the display. 4-digit display
- Extra wide reel support to house standard Ø250x320mm reels: extended operation and few production



stops.

### **OPTIONAL FEATURES**

- o 2nd tabletop reel support
- o Carriage.