

KRAFTFULL STANSMASKIN FÖR STORA VOLYMER



- » Verktyg för bindning av wire finns som tillval
- » Valfritt stansverktyg ingår och ytterligare 19 finns som tillval
- » Justerbart stansdjup för anpassning till olika spiralstorlekar
- » Uppsamlare med stor kapacitet för pappersrester

TEKNISK SPECIFIKATION

| | |
|------------------------------|---------------------------------|
| Modell: HEAVY PUNCHER | 600 |
| Stansning | Elektrisk, fotpedal |
| Bindning | Elektrisk, fotpedal (tillval) |
| Stanstyper (antal) | 20 |
| Bindtyp | Wire (tillval) |
| Håltyp (form) | Se bilaga |
| Max. Stanskapacitet (mm) | 5 |
| Max. Stansstorlek (mm) | 600 |
| Max. Bindkapacitet (ark) | 500 (tillval) |
| Spiralstorlek (mm) | 4.5 - 50 (tillval) |
| Max. Stanshastighet (/minut) | 60 |
| Nettovikt (kg) | 270 |
| Anslutningstyp | 1-fas 220V / 50Hz |
| Effekt | 1500W |
| Maskinmått L x B x H (mm) | 1000 x 640 x 1110 |
| Garanti (år) | 1 |

Serva®

HEAVY PUNCHER

The logo for 'HEAVY PUNCHER' features the word 'HEAVY' in a large, white, sans-serif font. To its right, the word 'PUNCHER' is written in a smaller, white, sans-serif font above a white rectangular box with rounded corners. Inside this box, there is a pattern of small white dots arranged in a grid, resembling a puncher's perforated surface.

PRODUKTBROSCHYR

HEAVY PUNCHER

600



TILLVAL

| KOD | GRAD | MÅTT (mm) | HÅL | DISTANS | MÖNSTER (Skala 1:1) |
|-----|-------|----------------|-----|---------|---------------------|
| A | 3 : 1 | 4 x 4 mm | 72 | 8.47 | |
| B | 4 : 1 | ø 4.2 mm | 96 | 6.35 | |
| C | 4 : 1 | 5.5 x 4 mm | 96 | 6.35 | |
| D | 2 : 1 | 6.35 x 6.35 mm | 48 | 12.7 | |
| E | 14.25 | 8 x 3 mm | 43 | 14.25 | |
| F | 4 : 1 | 4.5 x 3.6 mm | 96 | 6.35 | |
| G | 5 : 1 | ø 3.2 mm | 119 | 5 | |
| H | 3 : 1 | ø 4 mm | 72 | 8.47 | |
| I | 3 : 1 | ø 4.2 mm | 70 | 8.47 | |
| J | 3 : 1 | ø 4.2 mm | 72 | 8.47 | |
| K | 3 : 1 | 4 x 4 mm | 70 | 8.47 | |
| L | 3 : 1 | ø 5 mm | 72 | 8.47 | |
| M | 25 mm | | 24 | 25 | |
| N | 45 mm | | 14 | 45 | |
| O | 4 : 1 | ø 4 x 3 mm | 96 | 6.35 | |
| P | 5 : 1 | ø 4 x 3 mm | 119 | 5.08 | |
| Q | 2 : 1 | 5.5 x 5.5 mm | 48 | 12.7 | |
| R | 2 : 1 | ø 5 mm | 48 | 12.7 | |
| S | 6 | ø 4.2 mm | 102 | 6 | |
| T | 2 : 1 | 3.5 x 5.5 mm | 48 | 12.7 | |
| U | 2 : 1 | ø 6.4 mm | 48 | 12.7 | |
| V | 2 : 1 | 6 x 6 mm | 48 | 12.7 | |
| W | 3 : 1 | ø 4.5 mm | 72 | 8.47 | |
| X | 3 : 1 | ø 4.5 mm | 70 | 8.47 | |

Serva®

HEAVY PUNCHER

BILAGA - TILLVAL
HEAVY PUNCHER
600